

CARBOHYDRATE RESEARCH, VOL. 189 (1989)

AUTHOR INDEX

- ABBAS, S. A., 13, 21
 ABDEL-MALIK, M. M., 123
 ACHIWA, K., c 1
 AKAMATSU, S., c 1
 ALPANO, R. M., 374

 BAI, Y., 49
 BAROFKY, D. F., 103
 BAUMES, R. L., 331
 BAYONOVE, C. L., 331
 BERTOFT, E., 169, 181, 195
 BEURRET, M., 237, 247
 BILIADERIS, C. G., 31
 BRISSON, J.-R., 161
 BRZEZINSKI, R., 363

 CABARET, D., 341
 CHEW, W., 135
 CORDONNIER, R. E., 331
 CYONG, J.-C., 209

 DUTTON, G. G. S., 237, 247

 EL KHADEM, H. S., 149

 DI FABIO, J. L., 161

 GALLOWAY, G., 31
 GLUSHKA, J. N., 135
 GOLDSTEIN, I. J., 301
 GÓMEZ-GUILLÉN, M., 349
 GREBER, U. F., 289
 GONATA, Y. Z., 331

 HANS-HANS, F., 349
 HARA, C., 273
 HEITZ, A., 331
 HELM, R. F., 103
 HIZUKURI, S., 227
 HRICOVINI, M., 359

 IKEDA, K., c1

 JOSELEAU, J.-P., 237, 247
 JULIANO, B. O., 227

 KARCHESY, J. J., 103
 KAWAI, J., 149
 KAWANA, M., 87

 KIIHO, T., 273
 KIYOHARA, H., 209
 KLASKA, K.-H., 65
 KLEEBERG, M., 65
 KOMALAVILAS, P., 261
 KOZULIC, B., 289
 KUZUHARA, H., 87

 LASSALETIA SIMON, J. M., 349
 DE LEDERKREMER, R. M., 79
 LIU, H.-W., 368
 LO, S. F., 368

 MANNING, J. M., 49
 MARTÍN-ZAMORA, M. E., 349
 MARUTA, N., 227
 MATTÀ, K. L., 13, 21
 MORI, N., 49
 MORT, A. J., 261
 DU MORTIER, C., 79
 MOSBACH, K., 289
 MOURÃO, P. A., 374

 NAGAI, K., 273
 NEUGEBAUER, E., 363
 NEUGEBAUER, W. A., 363

 OGAWA, S., 309, 323
 ORIHARA, M., 323
 OTSUKA, Y., 209

 PAVÃO, M. S. G., 374
 PERLIN, A. S., 123, 135
 PERRY, M. B., 161
 PETERSON, L. H., 113
 PETRÁKOVÁ, E., 359
 PISKORZ, C. F., 13
 PLESSAS, N., 301

 RA, K.-S., 209
 REJ, R. N., 135
 RUTAN, J. F., 21

 SAVAGE, A. V., 237, 247
 SHIBATA, S., 301
 SHIBATA, Y., 309
 SPOOF, L., 169
 STACK, R. J., 281
 SWARTZ, D. L., 149

TAKEDA, Y., 227
THIEM, J., 65
THOMAS, R. L., 13, 21
TOLMAN, R. L., 113
TVAROŠKA, I., 359

UENO, H., 49
UKAI, S., 273

VARELA, O., 79
VIGNON, M., 247

WAKSELMAN, M., 341
WANG, W. T., 1
WYLDE, R., 331

YAMADA, H., 209
YANG, D.-Y., 368
YOSHIDA, I., 273
YU, Y., 368

ZOPF, D., 1

CARBOHYDRATE RESEARCH, VOL. 189 (1989)

SUBJECT INDEX

- Acarbose and adiposin-2, total synthesis of, 309
- Acetylation at O-3 of galacturonic acid in the rhamnose-rich portion of pectins, 261
- N*-Acetyl- β -D-glucosaminidase H, endo-, purification by substrate-affinity chromatography of, 289
- Adenosines. Preparative applications of the deoxygenative [1,2]-hydride shift and β -elimination reactions of *O*-sulfonylated adenosines, synthesis of 2'- and 3'-azido-2',3'-dideoxy, 87
- Aldohexopyranose derivatives, reactions of phenyl chlorosulfate at OH-1, -4, and -6 of, and formation of 1,2-oxazoline and 4,6-cyclic sulfate rings, 123
- D-Allonodithioate, ethyl 2,5-anhydro-6-*O*-benzoyl-, synthesis of nitrogen-bridged, purine-like C-nucleosides from, 149
- Alpha-dextrins, partial characterisation of amylopectin, 181
- Amphiphilic liposaccharides, synthesis of, 341
- Amylopectin alpha-dextrins, fractional precipitation of, using methanol, 169
- Amylopectin alpha-dextrins, partial characterisation of, 181
- Amylopectin, investigation of the fine structure of, using alpha- and beta-amylase, 195
- Amylose-V, crystallization behavior and structure-property relationships of, 31
- Anti-complementary pectic polysaccharide from the roots of *Bupleurum falcatum* L., structural characterisation of an, 209
- Antigenic O-chain of *Salmonella ohio* (O:6,7), structure of lipopolysaccharide of, 161
- Antitumor activity, of *O*-(carboxymethyl)ated derivatives of (1 \rightarrow 3)- α -D-glucan from an alkaline extract of *Agrocycbe cylindracea*, 273
- Attempt to derive a new Karplus-type equation of vicinal proton-carbon coupling constants for C-O-C-H segment of bonded atoms, 359
- Bacteriophages ϕ 41 and ϕ 12, action on the capsular polysaccharides from *Klebsiella* K41 and K12, 237
- BenzyI glycosides, separation by liquid chromatography of, 13
- Carbohydrate-urea-phenol-based adhesives: transient formation of mono- and di-D-glucosylurea, 103
- 5,6-*O*-(1-Carboxyethylidene)-D-galactofuranose units in the capsular polysaccharide of *Klebsiella* K12, 247
- Characterisation of amylopectin alpha-dextrins, partial, 181
- Chitin-chitosan, the degree of *N*-acetylation of, determination of, with picric acid, 363
- Chromatography, liquid, of milk-oligosaccharides, 1
- Chromic acid oxidation in the synthesis of uronic acids. Use of the *O*-levulinoyl group to minimize acyl-migration, 135
- Colorimetric method for the estimation of 2-deoxy-3-C-methyl-branched sugars, 368
- Convenient, high-yield synthesis of L-oleandrose and L-oleandral, 113
- Coupling constants for C-O-C-H segment of bonded atoms, an attempt to derive a new Karplus-type equation of vicinal proton-carbon, 359
- Crystallization behavior of amylose-V complexes: structure-property relationships, 31
- 4,6-Cyclic sulfate rings, formation of, in reactions of phenyl chlorosulfate with aldohexopyranose derivatives, 123
- Deoxygenative [1,2]-hydride shift and β -elimination reactions of *O*-sulfonylated adenosines, synthesis of 2'- and 3'-azido-2',3'-dideoxyadenosines. Preparative applications of the, 87
- 6-Deoxy-D-talose, identification of, in an extracellular polysaccharide produced by *Butyrivibrio fibriosolvens* strain X6C61, 281
- Determination of the degree of *N*-acetylation of chitin-chitosan with picric acid, 363
- Dextrins, fractional precipitation of alpha-, using methanol, 169
- 1-*O*-(*E*-3,7-Dimethyl-2,6-octadienyloxycarbonyl)- β -D-rutinoside hexaacetate, synthesis of, 331
- Disaccharide derivatives having a furanose as the reducing unit, a new approach to the synthesis of, 79
- Endo-*N*-acetyl- β -D-glucosaminidase H, purification by substrate-affinity chromatography of, 289
- Fractional precipitation of amylopectin alpha-dextrins using methanol, 169

- β -D-Fructopyranose, 5-O- α -D-glucopyranosyl-, synthesis and crystal structure of, 65
- α -L-Fucp-(1 \rightarrow 3)- β -D-GlcpNAc-(1 \rightarrow 6)-D-GalNAc, synthesis of, 21
- Furanose as the reducing unit, a new approach to the synthesis of disaccharide derivatives having a, 79
- L-Galactose in sulfated polysaccharides from tunicates, 374
- Galacturonic acid, 3-O-acetyl-, in the rhamnose-rich portion of pectins, 261
- β -D-Galp-(1 \rightarrow 3)- β -D-GlcpNAc-(1 \rightarrow 6)- α -D-GalpNAcOBzl, synthesis of, 21
- 1-O-Geranyloxycarbonyl- β -rutinose, 2,3,4, 2',3',4'-hexa-O-acetyl-, synthesis of, 331
- (1 \rightarrow 3)- α -D-Glucan from an alkaline extract of *Agroclype cylindracea*, and antitumour activity of its O-(carboxymethyl)ated derivatives, 273
- β -D-Glucosaminidase H, N-acetyl-, endo-, purification by substrate-affinity chromatography of, 289
- Glyceraldehyde, reactivity of model peptides with, 49
- Identification of 6-deoxy-D-talose in an extracellular polysaccharide produced by *Butyrivibrio fibrisolvens* strain X6C61, 281
- Investigation of the fine structure of amylopectin using alpha- and beta-amylase, 195
- Karplus-type equation of vicinal proton-carbon coupling constants for C-O-C-H segment of bonded atoms, an attempt to derive a new, 359
- Kdo-containing disaccharides using phenylselenenyl triflate, a new and stereospecific approach to, c1
- Klebsiella* K12 polysaccharide, 5,6-O-(1-carboxyethylidene)-D-galactofuranose units in, 247
- Klebsiella* K41 and K12 polysaccharides, action of bacteriophages ϕ 41 and ϕ 12 on, 237
- Leucrose, synthesis and crystal structure of 5-O- α -D-glucopyranosyl- β -D-fructopyranose, synthesis and crystal structure of, 65
- O-Levulinoyl group to minimize acyl-migration, chromic acid oxidation in the synthesis of uronic acids. use of the, 135
- Lipopolysaccharide antigenic O-chain of *Salmonella ohio* (O:6,7), structure of, 161
- Liposaccharides, amphiphilic, synthesis of, 341
- Liquid chromatography of benzyl and nitrophenyl glycosides, 13
- Manninotriurate group, production and characterization of antisera raised to the, 301
- D-Mannose and D-galactose methylhydrazones, new pentahydroxypentylpyrazoles from the reactions of nitroalkenes with, 349
- Melibiose, 6'-O-octyl-, synthesis of, 341
- Methylhydrazones, new pentahydroxypentylpyrazoles from the reactions of D-mannose and D-galactose, with nitroalkenes, 349
- Milk oligosaccharides, liquid chromatography of, 1
- Molecular structures of rice starch, 227
- Mucin fragments, synthesis of, 21
- New and stereospecific approach to Kdo-containing disaccharides using phenylselenenyl triflate, a c1
- New approach to the synthesis of disaccharide derivatives having a furanose as the reducing unit, 79
- Nitrophenyl glycosides, separation by liquid chromatography of, 13
- C-Nucleosides, nitrogen-bridged purine-like, synthesis of, from ethyl 2,5-anhydro-6-O-benzoyl-D-allonodithioate, 149
- 6-O-Octyl- α -D-galactopyranosyl-, synthesis of, 341
- L-Oleandral, a convenient high-yield synthesis of, 113
- L-Oleandrose, a convenient high-yield synthesis of, 113
- Oligosaccharides of milk, liquid chromatography of, 1
- 1,2-Oxazoline rings, formation of, in reactions of phenyl chlorosulfate with aldohexopyranose derivatives, 123
- Pectins, the rhamnose-rich portion of, the acetylation at O-3 of galacturonic acid in, 261
- Penta-N,O-acetyl derivatives of some pseudo-3-amino-3-deoxy-DL-hexopyranoses and -DL-hexopyranosylamine derivatives, synthesis of the, 323
- Pentahydroxypentylpyrazoles from the reactions of D-mannose and D-galactose methylhydrazones with nitroalkenes, 349
- Peptides, model, reactivity with glyceraldehyde of, 49
- Phenyl chlorosulfate, reactions of, at OH-1, -4, and -6 of aldohexopyranoses, and formation of 1,2-oxazoline and 4,6-cyclic sulfate rings, 123

- Phenylselenenyl triflate, a new and stereospecific approach to Kdo-containing disaccharides using, C1
- Polysaccharide, an extracellular, produced by *Butyrivibrio fibrisolvens* strain X6C61, identification of 6-deoxy-D-talose in, 281
- Polysaccharide, from the roots of *Bupleurum falcatum* L., structural characterization of an anti-complementary pectic, 209
- Polysaccharide of *Klebsiella* K12, 5,6-*O*-(1-carboxyethylidene)-D-galactofuranose units in, 247
- Polysaccharides from *Klebsiella* K41 and K12, action of bacteriophages ϕ 41 and ϕ 12 on, 237
- Polysaccharides, sulfated, from tunicates, L-galactose in, 374
- Production and characterization of antiserum raised to the mannantrionate group [α -D-Galp-(1 \rightarrow 6)- α -D-Galp-(1 \rightarrow 6)-D-gluconate], 301
- Pseudo-3-amino-3-deoxy-DL-hexopyranoses and -DL-hexopyranosylamine derivatives, synthesis of the penta-*N,O*-acetyl derivatives of some, 323
- Reactions of phenyl chlorosulfate at OH-1, -4, and -6 of aldohexopyranose derivatives. Formation of 1,2-oxazoline and 4,6-cyclic sulfate rings, 123
- Reactivity, sequence-dependent, of model peptides with glyceraldehyde, 49
- Rice starch, molecular structures of, 227
- β -Rutinosyl, 2,3,4,2',3',4'-hexa-*O*-acetyl-1-*O*-geranyloxycarbonyl-, synthesis of, 331
- Salmonella ohio* (O:6,7), structure of lipopolysaccharide antigenic O-chain of, 161
- Starch, molecular structures of rice, 227
- Structural characterisation of an anti-complementary pectic polysaccharide from the roots of *Bupleurum falcatum* L., 209
- Structure of amylopectin, investigation of the fine, using alpha- and beta-amylase, 195
- Sugars, 2-deoxy-3-*C*-methyl-branched, a colorimetric method for the estimation of, 368
- Synthesis of acarbose and adiposin-2, total, 309
- Synthesis of 2'- and 3'-azido-2',3'-dideoxyadenosines. Preparative applications of the deoxygenative [1,2]-hydride shift and β -elimination reactions of *O*-sulfonylated adenosines, 87
- Synthesis of nitrogen-bridged purine-like C-nucleosides from ethyl 2,5-anhydro-6-*O*-benzoyl-D-allonodithioate, 149
- Synthesis of the penta-*N,O*-acetyl derivatives of some pseudo-3-amino-3-deoxy-DL-hexopyranoses and -DL-hexopyranosylamine derivatives, 323
- Total synthesis of acarbose and adiposin-2, 309
- Uronic acids. use of the *O*-levulinoyl group to minimize acyl-migration, chromic acid oxidation in the synthesis of, 135

